This test paper has 5 questions and total of 40 marks.
It can not be taken from the examination room. You may use a non-programmable calculators.
SHOW ALL YOUR WORK. Duration: 50 minutes.

NAME:
STUDENT NO:

Marks

[8] **1)** Use Cramer's rule to solve the system

$$\begin{aligned} 2x - y &= 1 \\ x + y &= 5 \end{aligned}$$

Answer. We have

$$A = \begin{bmatrix} 2 & -1 \\ 1 & 1 \end{bmatrix}, A_1(b) = \begin{bmatrix} 1 & -1 \\ 5 & 1 \end{bmatrix}, A_2(b) = \begin{bmatrix} 2 & 1 \\ 1 & 5 \end{bmatrix}.$$

Thus,

$$\det A = 3, \qquad \det A_1(b) = 6, \qquad \det A_2(b) = 9.$$

Finally,

$$x = \frac{\det A_1(b)}{\det A} = 2 \qquad y = \frac{\det A_2(b)}{\det A} = 3.$$

[6] **2)** Let $A = \begin{bmatrix} 1 & 3 & 1 \\ 2 & 4 & -1 \\ -1 & 2 & -2 \end{bmatrix}$.

Find the cofactors C_{21}, C_{22}, C_{32} of A.

Answer.

$$C_{21} = -\begin{vmatrix} 3 & -1 \\ 2 & -2 \end{vmatrix} = 8, \quad C_{22} = \begin{bmatrix} 1 & 1 \\ -1 & -2 \end{bmatrix} = -1, \quad C_{32} = -\begin{bmatrix} 1 & 1 \\ 2 & -1 \end{bmatrix} = 3.$$

[**10**] **3)** Let $A = \begin{bmatrix} 1 & 2 & 1 & 2 \\ -1 & -1 & 3 & 2 \\ 0 & 2 & 8 & 8 \end{bmatrix}$.

(a) Find a basis for $\mathrm{Col}(A)$.
(b) Find a basis for $\mathrm{Nul}(A)$.
(c) Find $\mathrm{rank}(A)$ and $\dim(\mathrm{Nul}(A))$.

Answer: (a)

$$A = \begin{bmatrix} 1 & 2 & 1 & 2 \\ -1 & -1 & 3 & 2 \\ 0 & 2 & 8 & 8 \end{bmatrix} \sim \begin{bmatrix} 1 & 2 & 1 & 2 \\ 0 & 1 & 4 & 4 \\ 0 & 2 & 8 & 8 \end{bmatrix} \sim \begin{bmatrix} 1 & 2 & 1 & 2 \\ 0 & 1 & 4 & 4 \\ 0 & 0 & 0 & 0 \end{bmatrix}.$$

Thus,

$$\mathrm{Col}(A) = \mathrm{Span}\left\{ \begin{pmatrix} 1 \\ -1 \\ 0 \end{pmatrix}, \begin{pmatrix} 2 \\ -1 \\ 2 \end{pmatrix} \right\}.$$

Answer: (b) We have:

$$x_4 = t, \quad x_3 = s, \quad x_2 = -4t - 4s, \quad x_1 = 6t + 7s,$$

and a basis for $\mathrm{Nul}(A)$ is

$$\left\{ \begin{pmatrix} 6 \\ -4 \\ 0 \\ 1 \end{pmatrix}, \begin{pmatrix} 7 \\ -4 \\ 1 \\ 0 \end{pmatrix} \right\}.$$

Answer: (c) We have $\mathrm{rank}(A) = 2$ and $\dim(\mathrm{Nul}(A)) = 2$.

[6] **4)** Let $A = \begin{bmatrix} 1 & 5 & 0 & 4 & 0 \\ 0 & 0 & 1 & 3 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}$.

(a) Is $\mathrm{Col}(A) = R^3$? Explain your answer.
(b) Is $\mathrm{Nul}(A) = R^2$? Explain your answer.

Answer: (a) Yes, columns $1, 3, 5$ of A form a basis of $\mathrm{Col}(A)$ and of R^3.

Answer: (b) No, since $\mathrm{Nul}(A)$ is a subspace of R^5.

[10] **5)** Let $A = \begin{bmatrix} 2 & 5 & 0 \\ 0 & 1 & 0 \\ -2 & -7 & 4 \end{bmatrix}$.

(a) Give the characteristic polynomial of A.
(b) Find the eigenvalues of A.
(c) Find the corresponding eigenspace for the smallest eigenvalue of A.
(d) Give the dimension of the eigenspace of Part **(c)** above.

Answer: (a) $(2-\lambda)(1-\lambda)(4-\lambda)$

Answer: (b) $\lambda = 2, 1, 4$

Answer: (c) The smallest eigenvalue is 1. Thus, we study the null space of $A - \lambda I = A - I$.

$$A - I = \begin{bmatrix} 1 & 5 & 0 \\ 0 & 0 & 0 \\ -2 & -7 & 3 \end{bmatrix} \sim \begin{bmatrix} 1 & 5 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}.$$

Thus, we have:

$$x_3 = t, \quad x_2 = -t, \quad x_1 = 5t,$$

and a basis for the eigenspace corresponding to the eigenvalue 1 of A is

$$\left\{ \begin{pmatrix} 5 \\ -1 \\ 1 \end{pmatrix} \right\}.$$

Answer: (d) The dimension of the eigenspace of Part (c) is 1.